

**Appln No. 10/817,297**  
**Amdt date May 26, 2006**  
**Reply to Office action of January 26, 2006**

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Please cancel claims 26-28 and add new claim 29.

1. (Original) A method of monitoring cellular activity in a cellular specimen, comprising:
  - applying a plurality of different excitable markers to the specimen;
  - focusing light upon a region of the specimen from a laser microscope to excite the markers in the region and cause fluorescence to be radiated by the markers in the region;
  - separating the fluorescence into wavelength bands using a tunable filter;
  - detecting the fluorescence through an array of detectors, with each detector receiving one of the wavelength bands and generating a corresponding signal; and
  - analyzing the detected fluorescence to qualitatively and quantitatively identify the contribution to the fluorescence from each of the plurality of different excitable markers.
2. (Original) The method of claim 1, wherein the step of analyzing includes quantitatively determining an intensity contribution to the fluorescence from each of the plurality of different excitable markers.
3. (Original) The method of claim 2, wherein the step of analyzing uses a linear unmixing operation.
4. (Original) The method of claim 3, wherein the linear unmixing operation includes the steps of:
  - storing the detected fluorescence in a memory;

**Appln No. 10/817,297**  
**Amdt date May 26, 2006**  
**Reply to Office action of January 26, 2006**

comparing the stored fluorescence with a model fluorescence generated from a plurality of templates characteristic of a fluorescence spectrum of each of the plurality of different excitable markers;

varying the weights of each of the plurality of templates until the model fluorescence closely matches the stored fluorescence; and

determining quantitative information about the intensity contribution to the fluorescence from each of the plurality of different excitable markers based on the weights.

5. (Original) The method of claim 1, wherein the step of analyzing uses a principal component analysis of the fluorescence.

6. (Original) The method of claim 1, wherein separating the fluorescence includes using one or more of either a grating or prism.

7. (Original) The method of claim 1, wherein separating the fluorescence includes using a dichromatic mirror.

8. (Original) The method of claim 1, wherein the tunable filter is a liquid crystal filter.

9. (Original) The method of claim 1, wherein the tunable filter is an acousto-optical filter.

10. (Original) The method of claim 1, wherein applying a plurality of excitable markers includes applying a plurality of fluorescent probes to the specimen.

11. (Original) The method of claim 1, wherein detecting the fluorescence includes using a plurality of photomultiplier tubes.

**Appln No. 10/817,297**  
**Amdt date May 26, 2006**  
**Reply to Office action of January 26, 2006**

12. (Original) The method of claim 1, wherein detecting the fluorescence includes using a plurality of high gain photomultiplier tubes.

13. (Original) The method of claim 1, wherein focusing light to the specimen comprises focusing light from a two-photon laser microscope.

14. (Previously Presented) A system for monitoring cellular activity in a cellular specimen that contains a plurality of excitable markers, the system comprising:

a laser microscope that is operative to excite the markers in a region of the specimen, wherein the markers in the region radiate fluorescence as a result;

a tunable filter that is operative to process the fluorescence and to pass a portion of the fluorescence, wherein the portion of the fluorescence is within a wavelength band that depends on the setting of the filter;

a plurality of detectors operative to receive the processed fluorescence and to convert the fluorescence into a corresponding plurality of signals; and

an analyzer that is operative to receive the plurality of signals and to qualitatively and quantitatively identify the contribution to the fluorescence from each of the plurality of different excitable markers.

15. (Original) The system of claim 14, wherein the analyzer is operative to quantitatively determine an intensity contribution to the fluorescence from each of the plurality of different excitable markers.

16. (Original) The system of claim 15, wherein the analyzer uses a linear unmixing operation.

17. (Original) The system of claim 16, wherein the analyzer comprises:

**Appln No. 10/817,297**  
**Amdt date May 26, 2006**  
**Reply to Office action of January 26, 2006**

a memory operative to store the detected fluorescence;

a processor operative to generate a model fluorescence from a plurality of templates characteristic of a fluorescence spectrum of each of the plurality of different excitable markers, compare the model fluorescence with the stored fluorescence, vary the weights of each of the plurality of templates until the model fluorescence closely matches the stored fluorescence, and determine quantitative information about the intensity contribution to the fluorescence from each of the plurality of different excitable markers based on the weights.

18. (Previously Presented) The system of claim 14, wherein the analyzer uses a principal component analysis.

19. (Original) The system of claim 14, wherein the tunable filter comprises a liquid crystal tunable filter.

20. (Original) The system of claim 14, wherein the tunable filter comprises an acousto-optical tunable filter.

21. (Previously Presented) The system of claim 14, wherein the plurality of detectors comprises a plurality of photomultiplier tubes.

22. (Previously Presented) The system of claim 14, wherein the plurality of detectors comprises a plurality of high-gain photomultiplier tubes.

23. (Original) The system of claim 14, wherein the laser microscope comprises a multi-photon laser microscope.

24. (Previously Presented) The system of claim 14, further comprising a collector that at least substantially envelops the specimen to receive fluorescence from the markers.

**Appln No. 10/817,297**  
**Amdt date May 26, 2006**  
**Reply to Office action of January 26, 2006**

25. (Original) The system of claim 24, wherein the collector comprises an integrating sphere.

26. (Cancel).

27. (Cancel).

28. (Cancel).

29. (New) The system of claim 14, wherein the laser microscope is a laser scanning microscope.